

**PTFE - PFA LINED INSTRUMENT TEES  
DESIGN DIN 2448/2874 - CERTIFIED - 2014/68/EU (PED)**

**Standard Supply**

Used for : thermometers,  
manometers, sample sockets

**Design:**

DIN 2848/2874

**Range:**

DN 15 - DN 600, PN 10

**Version A:**

body: ASTM A106 GR.B

flange: P245GH EN 1092-1

**Interior lining:**

← PTFE

← PFA

**Variants**

**Design:**

for big diameters more than  
one piece will be provided

**Metallic parts:**


Stainless Steel 304L/316L

Low temp. steel P275NL

**Interior lining:**

← Antistatic PTFE

← Antistatic PFA



Istrument Tee in Antistatic version



**Standard finishing:**  
gray epoxy-vinyl zinc paint

**Available on request**



Approvals and Certifications



Quality and Special tests



Engineering Services



Special Supply



Stainless steel 304L/316L components



External Finiture



DIN


previous view

**D2-42**  
data sheet

DIFLINE

**D2**

**PTFE - PFA LINED INSTRUMENT TEES  
DESIGN DIN 2448/2874 - CERTIFIED - 2014/68/EU (PED)**



Dimension table

DN1	DN2	L mm	H mm	s	Weight kg
25	15	50	90	4	1,9
	20				2,0
	25				2,2
32	15	50	100	4	2,1
	20				2,3
	25				2,5
40	15	50	110	4	2,4
	20	50			2,6
	25	50			2,8
	40	75			4,4
50	15	50	115	4	3,2
	20	50			3,4
	25	50			3,6
	40	75			6,2
	50	90			8,1
65	15	50	125	4	3,7
	20	50			3,8
	25	50			3,9
	40	75			7,2

DN1	DN2	L mm	H mm	s	Weight kg
	50	90	125	4	9,8
80	15	50	135	4	4,3
	20	50			4,5
	25	50			4,7
	40	75			8,3
	50	90			12,6
100	15	50	150	4,5	5,5
	20	50			5,7
	25	50			5,9
	40	75			8,9
	50	90			16,0
125	15	50	160	5	6,6
	20	50			6,8
	25	50			7,0
	40	75			12,4
	50	90			20,5
150	15	50	180	5	7,7
	20	50			7,9
	25	50			8,2
	40	75			14,7
	50	90			21,8
200	15	50	210	5	9,9
	20	50			10,3
	25	50			10,5
	40	75			17,8
	50	90			23,4
250	15	50	240	5	13,3
	20	50			13,5
	25	50			13,7
	40	75			23,2
	50	90			25,9

**PTFE - PFA LINED INSTRUMENT TEES  
DESIGN DIN 2448/2874 - CERTIFIED - 2014/68/EU (PED)**

**Technical specifications of Difline products**



Pipes and Flanges dimensions according to DIN



Fittings dimensions according to DIN 2848



Operative Conditions



Bolt Torque



Finiture, Marking, Packing



Table of Chemical Resistance of Materials\*



**Available on request**



Approvals and Certifications



Quality and Special tests



Engineering Services



Special Supply



Stainless steel 304L/316L components



External Finiture